

F4/80 Recombinant antibody

Cat: B06001R Company: HaoKebio

Uniprot ID:Q61549 **Applications:** IHC:1:2000-1:8000

Organism: Rabbit IHC-Polymer: 1:8000-1:32000

IHC-TSA:1:10000-1:40000

IF:1:100-1:400

Background:

Species reactivity: Mouse

Mouse F4/80, also named as EMR1 and Gpf480, is a 160kd cell surface glycoprotein which is a m ember of the EGF TM7 family. The F4/80 molec ule is solely expressed on the surface of macroph ages and serves as a marker for mature macropha ge tissues, including Kupffer cells in liver, spleni c red pulp macrophages, brain microglia, gut lam ina propria and Langerhans cells in the skin. The function of F4/80 is unclear, but it is speculated t o be involved in macrophage adhesion events, cell migration or as a G protein-coupled signaling c omponent of macrophages.

Protein full name:

EGF-like module containing, mucin-like, hormo ne receptor-like sequence 1

Synonyms:

Emr1, EGF-like module-containing mucin-like h ormone receptor-like 1, EGF-like module recepto r 1, Adhesion G protein-coupled receptor E1, Ad gre1

Immunogen:

Recombinant protein

Isotype:

IgG

Subcellular location:

Membrane

Purity:

Affinity purification

Form:

Liquid

Storage Buffer:

PBS with 0.02%sodium azide,100 μ g/ml BSA and 50% glyce rol.


Storage:

Store at -20 °C for one year.


Experimental procedure:

Antigen retrieval: Citrate buffer (pH 9.0) , Medium high heat for 8 minutes, stop for 7 minutes, medium high heat for 8 minutes. Incubate antibody, $4\,^{\circ}\text{C}$ overnight. Secondary antibody: P oly-HRP Goat Anti-Rabbit & Mouse Universal Secondary Antibody, RT, 1h.

Images:



Sample: Mouse kidney, 4% PFA 12-24h



Sample: Mouse tumor, 4% PFA 12-24h.

Source of Reagents:

发表[中文论文]请标注:F4/80(B06001R)由杭州浩克生物技术有限公司提供;



发表[英文论文]请标注:F4/80(B06001R) were ki ndly provided by Hangzhou Haoke Biotechnolog y Co., Ltd.